



# Austin Fire Department WUI Code Product List



The Austin Fire Department has reviewed the products on this list and has determined that they are suited for use in the Wildland-Urban Interface and will achieve the objectives of the 2015 Wildland-Urban Code (WUI Code). This is not an all-inclusive list, nor is it intended to be a recommendation of any particular company, product, or material. Products and suppliers are not listed in any particular order. Absence of a product or supplier from this list is not a determination or indication of unsuitability of that product or supplier.

Additional items can be submitted to the Austin Fire Department by the manufacturer to be added to the list at any time by sending an email with all of the information regarding the product to [wuicodeinfo@austintexas.gov](mailto:wuicodeinfo@austintexas.gov). The Austin Fire Department will review all products sent to determine whether they meet the requirements of the WUI Code. Only products that are determined to meet the WUI Code requirements will be added to the list in the appropriate category. The code and amendments can be located here: <https://www.austintexas.gov/department/wildland-urban-interface-code>.

## Table of Contents

Decking .....	2
Railings .....	4
Patio Covers, Pergola, Trellis, Awnings, Etc. ....	5
Fencing .....	7
Siding, Trim, Soffit Boards, Ceilings .....	8
Exterior Lumber, Framing Materials, Plywood, Millwork .....	10
Vents.....	12
Roofing, Roofing Components .....	14
Windows, Doors, Skylights.....	17
Artificial Turf, Generator Spark Arresters, Misc.....	18

# Decking

Product Description	Product Name	Fire Rating	Company Name, Address, Contact
Local Decking Supplier – Various Material Types	Various – Call for product names carried.	Class A	TIMBERTOWN AUSTIN 15607 Grand Street Pflugerville, Texas 78660 512-528-8112 <a href="mailto:sales@timbertown.com">sales@timbertown.com</a>
Composite Decking	TimberTech Advanced PVC by Azek - Vintage & Landmark Collections only	Class A – ASTM E84	AZEK Building Products 894 Prairie Ave. Wilmington, Ohio 45177 Chip Herr - (937) 655-5297 <a href="mailto:Chip.herr@azekco.com">Chip.herr@azekco.com</a>
Composite Decking	Promenade PVC Composite Decking	Class A – ASTM E84	FIBER COMPOSITES, LLC 181 Random Drive, New London, NC 28127 Rick Lappin (704) 463-2973 <a href="mailto:rickl@fiberondecking.com">rickl@fiberondecking.com</a>
Fire-Retardant-Treated Wood Decking, Railings, Deck Framing Materials, Soffit, Fascia, Siding (Various Wood Species)	<ul style="list-style-type: none"> <li>- Saferwood-Fx</li> <li>- Thermex-FR</li> <li>- FRX</li> <li>- Mataverde</li> <li>- Flame Repel</li> <li>- Fireline</li> </ul>	Class A – FRTW: ASTM E84 / UL 723 Extended for 30 minutes, ASTM D 2898 (ICC-ES ESR-1159)	CHEMCO INC. 4191 Grandview Road (P.O. Box 875), Ferndale, WA 98248 360-366-3500 <a href="http://www.chemco.org/saferwood/where-to-buy/">www.chemco.org/saferwood/where-to-buy/</a> (multiple suppliers)
Dense Hardwood	Mataverde® Premium Machiche, Cumaru, Jatoba, and IPE	Class A – ASTM E84	General Woodcraft Inc. 369 Blodgett St. Ste. 200, Cotati, CA 94931 Perry Alibrio (707) 217-0657 <a href="mailto:perry@generalwoodcraftinc.com">perry@generalwoodcraftinc.com</a>
Dense Hardwood	Iron Woods™ Garapa	ASTM E84 Meets Flame Spread & Flame Front	Iron Woods Timber Holdings USA <a href="https://www.ironwoods.com/">https://www.ironwoods.com/</a> (888) 932-9663
Dense Hardwood	KAYU® Batu (Red Balau)	Class A – ASTM E84	KAYU INTERNATIONAL INC. 26099 SW 95th Ave, #603, Wilsonville, OR 97070 Natalie Smith (503) 557-7296 <a href="mailto:Natalie@kayu.com">Natalie@kayu.com</a>
Dense Hardwood	Tropideck	Class A – ASTM E84	NUSKU Partners 4650 Edison Ave. Chino, Ca. 91710 Tim Hummel (909) 591-4841 <a href="mailto:info@wehardenhoes.com">info@wehardenhoes.com</a>
Dense Hardwood	Sabra Brand “IPE”	Class A – ASTM E84	SABRA INTERNATIONAL, INC. 300 71st Street, Suite 430, Miami Beach, FL 33141 Jim VanPelt (863) 229-8456 <a href="mailto:jim@LBRtimber.com">jim@LBRtimber.com</a>

<b>Product Description</b>	<b>Product Name</b>	<b>Fire Rating</b>	<b>Company Name, Address, Contact</b>
Dense Hardwood	Mangaris Diamond	Class A – ASTM E84	Tata Enterprises, Inc. 2603 Camino Ramon Suite 200, San Ramon, CA 94583 Samuel Mamondol (510) 865-8888 Email: <a href="mailto:samuel@tataenterprises.net">samuel@tataenterprises.net</a>
Aluminum Prefabricated Stairs	PATHWAY® HD Code Compliant Modular Stairs	Non-combustible	EZ-Access 2230 Pembroke Rd, Hopkinsville Kentucky 42240, United States (888) 679-2720 <a href="mailto:customerrequest@ezaccess.com">customerrequest@ezaccess.com</a> <a href="https://ezaccess.com/collections/ada-stairs/products/pathway-hd-code-compliant-modular-access-system-stairs">https://ezaccess.com/collections/ada-stairs/products/pathway-hd-code-compliant-modular-access-system-stairs</a>
Steel Deck Framing	Evolution Steel Deck Framing Evolution Steel Deck Stair System	Non-combustible	Fortress Building Products 1720 N 1st Street Garland, TX 75040 1-866-323-4766 <a href="https://fortressbp.com/">https://fortressbp.com/</a>
Aluminum Decking, Balcony Railings, Fencing, Ceilings, Soffits, Siding, and Decorative Cladding	Levanté® Aluminum	Non-Combustible, Class A – ASTM E84	Hallmark Building Supplies 5251 Frye Road, Bldg. B Irving, Texas 75061 800-642-2246 <a href="mailto:TKolinek@Hallmark.com">TKolinek@Hallmark.com</a> <a href="https://www.levantaluminum.com/">https://www.levantaluminum.com/</a>
Aluminum Decking, Cladding, Soffits, Battens, Fencing, Screens, Gates and Enclosures, Railings, Pergolas	Knotwood Decking, Cladding, Soffits, Battens, Fencing, Screens, Gates and Enclosures, Railings, Pergolas	Non-Combustible, Class A - ASTM E 84 (EXDC150 Aluminum)	Knotwood 1.855.452.2314 <a href="mailto:KnotwoodInfo@OmniMax.com">KnotwoodInfo@OmniMax.com</a> 30 Technology Pkwy S, Suite 400 / Suite 600 Peachtree Corners, GA 30092 <a href="https://knotwood.com/">https://knotwood.com/</a>
Aluminum Decking, Railings and Pergolas	Nexan Building Products	Non-Combustible	Nexan Building Products 1213 26 <sup>th</sup> Street SW Culman, Alabama 35055 888-739-6172 <a href="http://www.nexaninc.com">www.nexaninc.com</a> , <a href="mailto:sales@nexaninc.com">sales@nexaninc.com</a>
Walking Deck System (full system required, not only top coating)	Pli-Dek	Class A – ASTM E 84 (ESR-2097)	ICP Construction 150 Dascomb Rd Andover, MA 01810 Adrienne Malek (951) 837-5959 <a href="mailto:amalek@icpgroup.com">amalek@icpgroup.com</a>
Roof Walking Deck System (full system required, not only top coating)	- Elasto Fiberdeck 100 - Forevercoat 100	Class A – ASTM E 84	AVM Industries, Inc. 8245 Renmet Ave. Canoga, CA 91304 Amir Rudyan (818) 888-0050 <a href="mailto:Amir@avmindustries.com">Amir@avmindustries.com</a>

Product Description	Product Name	Fire Rating	Company Name, Address, Contact
<b>NOTES:</b>			
Other typical materials: fire-retardant-treated wood (see Exterior Lumber, Plywood, Millwork section), porcelain tile, stone, concrete			
Refer to <a href="#">IWUIC 504.7 (amended)</a> for allowed materials and to <a href="#">IWUIC 504.2</a> for roof deck requirements			

## Railings

Product Description	Product Name	Fire Rating	Company Name, Address, Contact
Aluminum Railing	TimberTech Impression Rail Express with Classic or Modern top rail. Drink Rail when used with Vintage or Landmark Collection PVC deck board.	Non-Combustible Drink Rail: Class A – ASTM E 84 Top Rail	AZEK Building Products 894 Prairie Ave. Wilmington, Ohio 45177 Chip Herr – (937) 655-5297 <a href="mailto:Chip.herr@azekco.com">Chip.herr@azekco.com</a>
Aluminum, Steel, Cable, and Glass Railings	Fortress® Railing	Non-combustible	Fortress Building Products 1720 N 1st Street Garland, TX 75040 1-866-323-4766 <a href="https://fortressbp.com/">https://fortressbp.com/</a>
Aluminum Decking, Balcony Railings, Fencing, Ceilings, Soffits, Siding, and Decorative Cladding	Levanté® Aluminum	Non-Combustible, Class A – ASTM E84	Hallmark Building Supplies 5251 Frye Road, Bldg. B Irving, Texas 75061 800-642-2246 <a href="mailto:TKolinek@Hallmark.com">TKolinek@Hallmark.com</a> <a href="https://www.levantealuminum.com/">https://www.levantealuminum.com/</a>
Aluminum Decking, Cladding, Soffits, Battens, Fencing, Screens, Gates and Enclosures, Railings, Pergolas	Knotwood Decking, Cladding, Soffits, Battens, Fencing, Screens, Gates and Enclosures, Railings, Pergolas	Class A - ASTM E 84 (EXDC150 Aluminum)	Knotwood 1.855.452.2314 <a href="mailto:KnotwoodInfo@OmniMax.com">KnotwoodInfo@OmniMax.com</a> 30 Technology Pkwy S, Suite 400 / Suite 600 Peachtree Corners, GA 30092 <a href="https://knotwood.com/">https://knotwood.com/</a>
Aluminum Decking, Railings and Pergolas	Nexan Building Products	Non-Combustible	Nexan Building Products 1213 26 <sup>th</sup> Street SW Culman, Alabama 35055 888-739-6172 <a href="http://www.nexaninc.com">www.nexaninc.com</a> , <a href="mailto:sales@nexaninc.com">sales@nexaninc.com</a>
Aluminum Railings, Cladding, Soffits, Battens, Fencing, Screening, Gates & Enclosures, Pergolas	Parallel Architectural Products	Non-Combustible	Parallel Architectural Products 2750 S. Raritan Street, Englewood, CO 80110 <a href="http://www.parallelap.com">www.parallelap.com</a>

Product Description	Product Name	Fire Rating	Company Name, Address, Contact
Aluminum Railings, Cable Railings, Steel Railings, Screen Rail Sections (Screen Porch)	RDI Railing - Avalon Aluminum, Metalworks Excalibur, Elevation Rail Cable Railing	Non-combustible	RDI Railing (Oldcastle APG) 545 Tilton Rd, Ste 100 Egg Harbor City, NJ 08215 877-420-7245 <a href="http://www.rdirail.com">www.rdirail.com</a>
Aluminum Railings, Framing System, Fencing, Screen Rail Panel (Screen Porch)	Ultralox Interlocking Technology	Non-Combustible	ULTRALOX 2737 West Service Road Eagan, Mn. 55121 888-865-4005 <a href="mailto:info@ultralox.com">info@ultralox.com</a>
Fire-Retardant-Treated Wood Decking, Railings, Deck Framing Materials, Soffit, Fascia, Siding (Various Wood Species)	- Saferwood-Fx - Thermex-FR - FRX - Mataverde - Flame Repel Fireline	Class A – FRTW: ASTM E84 / UL 723 Extended for 30 minutes, ASTM D 2898 (ICC-ES ESR-1159)	CHEMCO INC. 4191 Grandview Road (P.O. Box 875), Ferndale, WA 98248 360-366-3500 <a href="http://www.chemco.org/saferwood/where-to-buy/">www.chemco.org/saferwood/where-to-buy/</a> (multiple suppliers)
<b>NOTES:</b>			
Decking manufacturers may also offer compliant railing options such as aluminum			
Other typical materials: aluminum, cable-rail, dense hardwood, fire-retardant-treated-wood (see Exterior Lumber, Plywood, Millwork section)			
Refer to <a href="#">IWUIC 504.7 (amended)</a> for allowed materials			

## Patio Covers, Pergola, Trellis, Awnings, Etc.

Product Description	Product Name	Fire Rating	Company Name, Address, Contact
Aluminum Pergolas, Patio Covers, Motorized Louvers, Fencing, Soleil Panels, Trellis, Privacy Walls, Awnings, more	4K Aluminum Inc.	Non-Combustible	4K Aluminum 5820 S. Valley View Street Suite J Las Vegas, Nv. 89118 702-778-0709 <a href="mailto:info@4kaluminum.com">info@4kaluminum.com</a> <a href="http://www.4kaluminum.com">www.4kaluminum.com</a>
Pergolas and Patio Covers, Embossed Wood-Look Aluminum	Lattice, Solid Panel, Insulated Panel	Non-Combustible	Alumawood <a href="https://alumawood.com/">https://alumawood.com/</a> 21 <sup>st</sup> Century Sunrooms 12761 Pelican Blvd Willis, TX 77318 (218) 320-8400 <a href="https://21stcenturysunrooms.com/">https://21stcenturysunrooms.com/</a>
Steel Pergolas & Kits	Fortress® Pergolas	Non-combustible	Fortress Building Products 1720 N 1st Street Garland, TX 75040 1-866-323-4766 <a href="https://fortressbp.com/">https://fortressbp.com/</a>

Product Description	Product Name	Fire Rating	Company Name, Address, Contact
Aluminum Patio Covers, Screen Rooms, Pergolas, Carports, Laminated Roof Panels, Canopies, Awnings, more	EliteWood™ Patio Covers and Pergolas  Additional aluminum products	Non-combustible	Four Seasons Building Products 844-254-8346 <a href="mailto:info@fourseasonsbp.com">info@fourseasonsbp.com</a> <a href="https://fourseasonsbp.com/">https://fourseasonsbp.com/</a>
Aluminum Decking, Cladding, Soffits, Battens, Fencing, Screens, Gates and Enclosures, Railings, Pergolas	Knotwood Aluminum Decking, Cladding, Soffits, Battens, Fencing, Screens, Gates and Enclosures, Railings, Pergolas	Class A - ASTM E 84 (EXDC150 Aluminum)	Knotwood 1.855.452.2314 <a href="mailto:KnotwoodInfo@OmniMax.com">KnotwoodInfo@OmniMax.com</a> 30 Technology Pkwy S, Suite 400 / Suite 600 Peachtree Corners, GA 30092 <a href="https://knotwood.com/">https://knotwood.com/</a>
Aluminum Decking, Railings and Pergolas	Nexan Building Products	Non-Combustible	Nexan Building Products 1213 26 <sup>th</sup> Street SW Culman, Alabama 35055 888-739-6172 <a href="http://www.nexaninc.com">www.nexaninc.com</a> , <a href="mailto:sales@nexaninc.com">sales@nexaninc.com</a>
Aluminum Pergolas, Cladding, Soffits, Battens, Fencing, Screening, Railings, Gates & Enclosures	Parallel Architectural Products	Non-Combustible	Parallel Architectural Products 2750 S. Raritan Street, Englewood, CO 80110 <a href="http://www.parallelap.com">www.parallelap.com</a>
Pergolas and Cabana's Aluminum Structures and Frames	STRUXURE	Non-Combustible	STRUXURE East Coast Fulfillment Center 154 Ethan Allen Drive Dahlonega, Ga. 30533 866-386-0218 <a href="https://struxure.com/">https://struxure.com/</a>
Porch and Deck Columns with interior conduit	Belco XT Post, 8x8 min. <i>MUST be trimmed (enclosed) at top and bottom with non-combustible material</i>	Heavy Timber Equivalent	Belco Fire Products 1890 E. Johns Prairie Road Shelton, WA. 98584 360-426-8900 <a href="mailto:sales@belcofp.com">sales@belcofp.com</a>
<b>NOTES:</b>			
Other typical materials: Fire-retardant-treated wood (see Exterior Lumber, Plywood, Millwork section), steel or aluminum framing, solid heavy timber, fiber cement wrapped elements, other approved materials (see Decking section)			
Refer to <a href="#">IWUIC 504.7 (amended)</a> for allowed materials			

# Fencing

Product Description	Product Name	Fire Rating	Company Name, Address, Contact
Local Supplier – Various Material Types	Various – Call for product names carried	Class A	TIMBERTOWN AUSTIN 15607 Grand Street Pflugerville, Texas 78660 512-528-8112 <a href="mailto:sales@timbertown.com">sales@timbertown.com</a>
Aluminum Pergolas, Patio Covers, Motorized Louvers, Fencing, Soleil Panels, Trellis, Privacy Walls, Awnings, more	4K Aluminum Inc.	Non-Combustible	4K Aluminum 5820 S. Valley View Street Suite J Las Vegas, Nv. 89118 702-778-0709 <a href="mailto:info@4kaluminum.com">info@4kaluminum.com</a> <a href="http://www.4kaluminum.com">www.4kaluminum.com</a>
Aluminum Fencing	All Fencing Products	Non-Combustible	Aluminum Fences Direct 9600 Falls of Neuse Rd., Suite 138 Raleigh, NC. 27615 888-830-2219 <a href="http://www.aluminumfencesdirect.net">www.aluminumfencesdirect.net</a> <a href="mailto:contact@aluminumfencesdirect.net">contact@aluminumfencesdirect.net</a>
Aluminum and Steel Fencing	Fortress® Fencing	Non-combustible	Fortress Building Products 1720 N 1st Street Garland, TX 75040 1-866-323-4766 <a href="https://fortressbp.com/">https://fortressbp.com/</a>
Aluminum Decking, Balcony Railings, Fencing, Ceilings, Soffits, Siding, and Decorative Cladding	Levanté® Aluminum	Non-Combustible, Class A – ASTM E84	Hallmark Building Supplies 5251 Frye Road, Bldg. B Irving, Texas 75061 800-642-2246 <a href="mailto:TKolinek@Hallmark.com">TKolinek@Hallmark.com</a> <a href="https://www.levantealuminum.com/">https://www.levantealuminum.com/</a>
Aluminum Fencing, Gates & Enclosures, Cladding, Soffits, Battens, Screening, Railings, Pergolas	Parallel Architectural Products	Non-Combustible	Parallel Architectural Products 2750 S. Raritan Street, Englewood, CO 80110 <a href="http://www.parallelap.com">www.parallelap.com</a>
Aluminum Fencing	SLEEKFENCE	Class A – ASTM E84, Non-combustible	SLEEKFENCE 1-855-875-0855 <a href="https://sleekfence.com/">https://sleekfence.com/</a>
Aluminum Railings, Framing System, Fencing, Screen Rail Panel (Screen Porch)	Ultralox Interlocking Technology	Non-Combustible	ULTRALOX 2737 West Service Road Eagan, Mn. 55121 888-865-4005 <a href="mailto:info@ultralox.com">info@ultralox.com</a>

Product Description	Product Name	Fire Rating	Company Name, Address, Contact
Fencing – Pre-Cast Concrete	All Fencing Products	Non-Combustible	Hilltop Concrete 18775 FM 2493 Flint, Texas 75762 903-630-5465 <a href="http://www.hilltopconcretete.com">www.hilltopconcretete.com</a> <a href="mailto:hello@hilltopconcretete.com">hello@hilltopconcretete.com</a>
<b>NOTES:</b>			
Other typical materials: Metal, wrought iron style metal, fire-retardant-treated wood (see Exterior Lumber, Plywood, Millwork section), custom configurations using approved decking materials (see Decking section), Aerated Autoclaved Concrete(AAC) preformed architectural elements.			
Refer to <a href="#">IWUIC 504.7 (amended)</a> for allowed materials			

## Siding, Trim, Soffit Boards, Ceilings

Product Description	Product Name	Fire Rating	Company Name, Address, Contact
Local Supplier – Lumber, Siding, Soffits, Steel Framing, Dense Woods & Composites	Various – Call for product names carried	Class A – ASTM E84	TIMBERTOWN AUSTIN 15607 Grand Street Pflugerville, Texas 78660 512-528-8112 <a href="mailto:sales@timbertown.com">sales@timbertown.com</a>
Ceilings, Soffits, Fencing, decking, wall-cladding	Ipe -Timbertech PVC AZEK (Vintage and Landmark only) -FR impregnated Woods Western Red Cedar , Hemlock, and Douglas Fir	Class A – FRTW: ASTM E84	US Lumber Brokers LLC 10840 FM 812 Del Valle, TX 78617 512-927-1111 <a href="mailto:Sales@USLumberbrokers.com">Sales@USLumberbrokers.com</a>
Siding, Trim, Soffit Boards – Fiber Cement	Allura Lap, Allura Panel, Allura Trim, Allura Shake, Allura Soffit	Class A - ASTM E 84, Non-Combustible per ASTM E 136	Allura 396 W. Greens Road, Suite 300 Houston, Texas 77067 844-525-5872 <a href="mailto:customerservice@allurausa.com">customerservice@allurausa.com</a> <a href="https://allurausa.com/">https://allurausa.com/</a>
Siding, Trim, Soffit Boards – Fiber Cement	Hardie™, Magnolia Home by James Hardie	Non-Combustible per ASTM E 136	JamesHardie 303 East Wacker Dr, 26th Floor Chicago, Illinois 60601 1-888 J-HARDIE (1-888 542-7343) <a href="https://www.jameshardie.com/">https://www.jameshardie.com/</a>

<b>Product Description</b>	<b>Product Name</b>	<b>Fire Rating</b>	<b>Company Name, Address, Contact</b>
Siding and Trim – Fiber Cement	WeatherSide Emphasis, WeatherSide Profile, WeatherSide Purity	Non-Combustible per ASTM E 136	GAF Commercial: Rob Kyle (512) 492-2272 <a href="mailto:Robert.Kyle@gaf.com">Robert.Kyle@gaf.com</a> ; Theron Rogers (512) 289-6877 <a href="mailto:Theron.Rogers@gaf.com">Theron.Rogers@gaf.com</a> Residential: James Allen (512) 698-6730 <a href="mailto:James.Allen@gaf.com">James.Allen@gaf.com</a> <a href="https://www.gaf.com/en-us/roofing-products/residential-roofing-products/fiber-cement-siding">https://www.gaf.com/en-us/roofing-products/residential-roofing-products/fiber-cement-siding</a>
Fire-Retardant-Treated-Wood: Lumber, Stairs, Molding, Trim, Siding, Roof Decking	Exterior Fire-X	Class A – FRTW: ASTM E84 / UL 723 30 minutes, ASTM D 2898	AMERICAN POLE AND TIMBER 12317 Almeda Road Houston, Texas 77045 800-716-0636 Eric Lincoln - <a href="mailto:eric@poleandtimber.com">eric@poleandtimber.com</a> <a href="https://www.americanpoleandtimber.com/">https://www.americanpoleandtimber.com/</a>
Fire-Retardant-Treated Wood Decking, Railings, Deck Framing Materials, Soffit, Fascia, Siding (Various Wood Species)	- Saferwood-Fx - Thermex-FR - FRX - Mataverde - Flame Repel - Fireline	Class A – FRTW: ASTM E84 / UL 723 Extended for 30 minutes, ASTM D 2898 (ICC-ES ESR-1159)	CHEMCO INC. 4191 Grandview Road (P.O. Box 875), Ferndale, WA 98248 360-366-3500 <a href="http://www.chemco.org/saferwood/where-to-buy/">www.chemco.org/saferwood/where-to-buy/</a> (multiple suppliers)
Aluminum Decking, Balcony Railings, Fencing, Ceilings, Soffits, Siding, and Decorative Cladding	Levanté® Aluminum	Non-Combustible, Class A – ASTM E84	Hallmark Building Supplies 5251 Frye Road, Bldg. B Irving, Texas 75061 800-642-2246 <a href="mailto:TKolinek@Hallmark.com">TKolinek@Hallmark.com</a> <a href="https://www.levantealuminum.com/">https://www.levantealuminum.com/</a>
Aluminum Soffits, Cladding, Battens, Fencing, Screening, Railings, Gates & Enclosures, Pergolas	Parallel Architectural Products	Non-Combustible	Parallel Architectural Products 2750 S. Raritan Street, Englewood, CO 80110 <a href="http://www.parallelap.com">www.parallelap.com</a>
Aluminum Decking, Cladding, Soffits, Battens, Fencing, Screens, Gates and Enclosures, Railings, Pergolas	Knotwood Decking, Cladding, Soffits, Battens, Fencing, Screens, Gates and Enclosures, Railings, Pergolas	Class A – ASTM E 84 (EXDC150 Aluminum)	Knotwood 1.855.452.2314 <a href="mailto:KnotwoodInfo@OmniMax.com">KnotwoodInfo@OmniMax.com</a> 30 Technology Pkwy S, Suite 400 / Suite 600 Peachtree Corners, GA 30092 <a href="https://knotwood.com/">https://knotwood.com/</a>
<b>NOTES:</b>			
Other typical materials: fire-retardant-treated wood (see Exterior Lumber, Plywood, Millwork section), aluminum, stucco, fiber cement boards, approved hardwoods (see Decking section)			
Siding & Trim at Exterior Walls in WUI Proximity Class A: refer to <a href="#">IWUIC 504.5 (amended)</a> for allowed materials Soffits, Eaves, & Trim in WUI Proximity Class A: refer to <a href="#">IWUIC 504.3.1, 504.3.1.1, and 504.3.1.2 (amended)</a> Soffits, Eaves, & Trim in WUI Proximity Class B: refer to <a href="#">IWUIC 504.3.2, 504.3.2.1, and 504.3.2.2 (amended)</a> Ceilings: refer to <a href="#">IWUIC 504.7 (amended)</a> for allowed materials			

## Exterior Lumber, Framing Materials, Plywood, Millwork

<b>Product Description</b>	<b>Product Name</b>	<b>Fire Rating</b>	<b>Company Name, Address, Contact</b>
Supplier: Lumber and Plywood	Exterior FRTW, Heavy Timber – Call for Exterior Rated product names carried	Class A – FRTW	BAYOU CITY LUMBER 11106 Telephone Road Houston, Texas 77075 877-637-1114 <a href="mailto:info@bayoucitylumber.com">info@bayoucitylumber.com</a> <a href="https://www.bayoucitylumber.com/">https://www.bayoucitylumber.com/</a>
Supplier: Lumber, Plywood	Exterior FRTW - Call for Exterior Rated product names carried	Class A – FRTW	Big Z Lumber 7225 Cullen Blvd Houston, Texas 77021 713-748-1730 <a href="mailto:sales@bigzlumber.com">sales@bigzlumber.com</a>
Supplier: Fire-Retardant-Treated-Wood: Lumber, Stairs, Molding, Trim, Siding, Roof Decking	Exterior Fire-X	Class A – FRTW: ASTM E84 / UL 723 30 minutes, ASTM D 2898	AMERICAN POLE AND TIMBER 12317 Almeda Road Houston, Texas 77045 800-716-0636 Eric Lincoln <a href="mailto:eric@poleandtimber.com">eric@poleandtimber.com</a> <a href="https://www.americanpoleandtimber.com/">https://www.americanpoleandtimber.com/</a>
Fire-Retardant-Treated Wood Decking, Railings, Deck Framing Materials, Soffit, Fascia, Siding (Various Wood Species)	<ul style="list-style-type: none"> <li>- Saferwood-Fx</li> <li>- Thermex-FR</li> <li>- FRX</li> <li>- Mataverde</li> <li>- Flame Repel</li> <li>- Fireline</li> </ul>	Class A – FRTW: ASTM E84 / UL 723 Extended for 30 minutes, ASTM D 2898 (ICC-ES ESR-1159)	CHEMCO INC. 4191 Grandview Road (P.O. Box 875), Ferndale, WA 98248 360-366-3500 <a href="http://www.chemco.org/saferwood/where-to-buy/">www.chemco.org/saferwood/where-to-buy/</a> (multiple suppliers)
Fire-Retardant-Treated-Wood: Lumber, Stairs, Molding, Trim, Siding, Roof Decking	Exterior Fire-X	Class A – FRTW: ASTM E84 / UL 723 30 minutes, ASTM D 2898	HOOVER TREATED WOOD PRODUCTS, INC. 154 Wire Road, Thomson, GA 30824 800-531-5558 <a href="http://www.frtw.com">www.frtw.com</a>
Lumber and Plywood	Flame-Safe X-T Fire-Retardant-Treated Wood (vacuum-pressure impregnation)	Class A – FRTW: ASTM E84 / UL 723 Extended for 30 minutes, ASTM D 2898	FLAME SAFE 2653 Warfield Ave. Fort Worth, Texas 76106 800-333-9197 <a href="mailto:fireprod@aol.com">fireprod@aol.com</a> <a href="https://flamesafeusa.com/">https://flamesafeusa.com/</a>

Product Description	Product Name	Fire Rating	Company Name, Address, Contact
Lumber, Various Wood Species	Fireline™ Treatment for Interior and Exterior Wood Products	ASTM E84 / UL 723 Extended for 30 minutes, ASTM D 2898(ICC-ES ESR-1159)	Montana Timber Products 2618 S. Kcid Rd Caldwell, ID 83605 (406) 215-4961 <a href="https://www.montanatimberproducts.com/">https://www.montanatimberproducts.com/</a>
Steel Deck Framing	Evolution Steel Deck Framing Evolution Steel Deck Stair System	Non-combustible	Fortress Building Products 1720 N 1st Street Garland, TX 75040 1-866-323-4766 <a href="https://fortressbp.com/">https://fortressbp.com/</a>
Steel framing, drywall	Various – Call for product names carried	Non-combustible	COWTOWN MATERIALS 401 Garden Access Drive Ft. Worth, Texas 76140 817-551-01805 <a href="http://www.cowtownmaterials.com">www.cowtownmaterials.com</a>
Noncombustible Wall Sheathing	EXACOR™	Non-Combustible, Class A – ASTM E84	EXACOR™ MgO Products, Huber Engineered Woods LLC, 1446 Hwy. 334, Commerce, GA 30530
Porch and Deck Columns with interior conduit	Belco XT Post, 8x8 min. <i>MUST be trimmed (enclosed) at top and bottom with non-combustible material</i>	Heavy Timber Equivalent	Belco Fire Products 1890 E. Johns Prairie Road Shelton, WA. 98584 360-426-8900 <a href="mailto:sales@belcofp.com">sales@belcofp.com</a>
Heavy timber	Various	Heavy Timber per <a href="#">IBC 2304.11</a>	Available through multiple suppliers and lumber yards
Approved Hardwoods	See <a href="#">Decking</a>		
<b>WOOD PRODUCTS FOR GROUND CONTACT:</b>			
Heavy timber, ground contact pressure treated	Various	Heavy Timber per <a href="#">IBC 2304.11</a>	Available through multiple suppliers and lumber yards
<b>NOTES:</b>			
The use of paints, coatings, stains or other surface fire-retardant treatments is prohibited. Fire-retardant must be applied via pressure treatment to comply with IBC <a href="#">2303.2</a> .			
Manufacturers may recommend using a naturally durable wood species or water repellent preservative finish for exterior materials. Contact the manufacturer for information specific to your intended use.			
Refer to IBC <a href="#">2303.2</a> for more fire-retardant-treated wood requirements.			
Refer to IBC <a href="#">Table 2304.11</a> for minimum heavy timber requirements			
<i>Interior-rated fire-retardant-treated wood (FRTW) has been taken off this list to avoid confusion since the primary concern of the WUIC is exterior material. When interior-rated FRTW is used within a fire-rated assembly, it is necessary for the FRTW to be fully covered with an approved Wildland Urban Interface Code (WUIC) compliant material on the exterior of the building. Consult with the manufacturer prior to selecting an interior-rated FRTW to ensure it is the correct material for your specific needs.</i>			

# Vents

Product Description	Product Name	Fire Rating	Company Name, Address, Contact
Vents not listed below may be allowed when a noncombustible corrosion resistant mesh with 1/8" openings or smaller is installed directly over the ventilation opening above the roof sheathing / outside of the wall sheathing, independent of the vent / vent cap.			
Vent Screen Material	Hardware Cloth – Galvanized or Stainless Steel with openings no greater than 1/8"		Various Manufacturers
Vent Screen Material	Wildfire Defense Mesh	ASTM E2886  Class A – ASTM E84 / UL 723 30-minute test  (QAI Listing B1143)	Wildfire Defense Mesh (Austin) 3907 Medical Pkwy, Ste 101 Austin, TX 78756 512-333-2330 <a href="mailto:james.greer@wildfiredefensemesh.com">james.greer@wildfiredefensemesh.com</a> <a href="http://www.wildfiredefensemesh.com">www.wildfiredefensemesh.com</a>
Complete Vent Systems	Wildfire Defense Screens - Eave / Soffit Vent Screen Foundation Vent Screen	ASTM E2886 Class A – ASTM E84 / UL 723 30-minute test (QAI Listing B1143)	Wildfire Defense Mesh (Austin) 3907 Medical Pkwy, Ste 101 Austin, TX 78756 512-333-2330 <a href="mailto:james.greer@wildfiredefensemesh.com">james.greer@wildfiredefensemesh.com</a> <a href="http://www.wildfiredefensemesh.com">www.wildfiredefensemesh.com</a>
Soffit, Foundation, Dormer, Eave (round), Gable, Balcony, and Sub Flashing Roof Vents	BrandGuard Vents	Class A – ASTM E2886	BrandGuard Vents 6 Rancho Circle, Lake Forest, CA 92630 Kelly Berkompas (949) 305-8059 <a href="mailto:kelly@brandguardvents.com">kelly@brandguardvents.com</a> <a href="https://www.brandguardvents.com/">https://www.brandguardvents.com/</a>
Soffit, Foundation and Retrofit Vents	Embers Out	ASTM E2886	Embers Out LLC 21520 Yorba Linda Blvd., Suite G 530, Yorba Linda, CA 92887 George Sherry (714) 315-3178 <a href="mailto:george@embersout.com">george@embersout.com</a>
Soffit Vent – Continuous	VPCA - Aluminum Perforated Continuous Soffit Vent	Non-Combustible, 1/8" perforations	Tamlyn 13623 Pike Road Stafford, Tx. 77477 <a href="http://www.tamlyn.com">www.tamlyn.com</a>
Roof Field Vents	O'Hagin Vents with Fire&Ice Mesh	ASTM E2886	O'Hagin, Inc. 210 Classic Court Rohnert Park, California 94928 David Mutter 877.324.0444 <a href="mailto:dmutter@ohagin.com">dmutter@ohagin.com</a>
	O'Hagin Vents 1/8" Galvanized Mesh, or 1/8" Stainless Steel Mesh	IWUIC 504.10 (amended)	
Roof Ridge, Foundation, Dormer, Gable, Soffit and Eave Vents	Vulcan Vent	ASTM E2886 ASTM E119 1-hour	Vulcan Vents 8 Commercial Blvd. Suite E Novato, Ca. 94949 <a href="http://www.vulcanvents.com">www.vulcanvents.com</a> Larry Dumm (916) 652-7424 <a href="mailto:larry@newcalmetals.com">larry@newcalmetals.com</a>

Product Description	Product Name	Fire Rating	Company Name, Address, Contact
Roof Field Vents	RVG40 RVG50 RVG51 RVG53 RVG55 Under Eave Vents	Galvanized steel with internal 1/8" corrosion resistant metal mesh	Air Vent Inc. 4117 Pinnacle Point Drive, Suite 400 Dallas, Texas 75211 800.247.8368 <a href="http://www.airvent.com">www.airvent.com</a> <a href="mailto:shossain@gibraltar1.com">shossain@gibraltar1.com</a>
	SLA RVA 50 RVA51 Under Eave Vents	Aluminum with Internal 1/8" corrosion resistant metal mesh	
	SLP61	Plastic vent with internal 1/8" corrosion resistant metal mesh	
Roof Field Vents	135 Roof Vent 550S Roof Vent 600 Series Roof Vents 2000/2000TH Power Vent	Aluminum with internal 1/8" corrosion resistant metal mesh	Lomanco, Inc. 2101 W. Main Street Jacksonville, Ar. 72076 800-643-5596 <a href="http://www.lomanco.com">www.lomanco.com</a>
	750S/750ES Roof Vents	Aluminum with internal 1/16" corrosion resistant metal mesh	
	UFTWUI Flat Tile Vent	Galvanized Steel with internal 1/8" corrosion resistant metal mesh	
	750GS Roof Vent 750GES Roof Vent UFTWUI Flat Tile Vent	Galvanized Steel with internal 1/16" corrosion resistant metal mesh	
Roof Field Vents & Roof Ridge Vents	Screened Version of: Ross 150 Roof Vent Ross 65 Slant Back Vent Ross 2-IN-1 Ridge Vent	Non-corrosive, non-combustible metal mesh with 1/8" openings	Ross Mfg., LLC. 155 Spire Lane New Braunfels, Texas 78132 Scott Polson 830.643.0175 <a href="mailto:info@rossmfg.com">info@rossmfg.com</a> <a href="http://www.rossmfg.com">www.rossmfg.com</a>
Roof Field Vents	Screened Version of: GAF Master Flow™ Roof Louver SSB960 Metal Slant-Back Vent	Non-corrosive, non-combustible ember-resistant screen with maximum 1/8" openings	GAF 1 Campus Drive Parsippany, NJ 07054 877-423-7663 <a href="mailto:technicalquestions@gaf.com">technicalquestions@gaf.com</a> <a href="http://www.gaf.com">www.gaf.com</a>
<b>NOTES:</b>			
Refer to <a href="#">IWUIC 504.10 (amended)</a> for vent requirements			
Refer to <a href="#">IWUIC 504.10.1</a> for vent locations (soffit vents only allowed within WUI Proximity Class C)			
Plastic, vinyl, or other combustible material vents shall be installed so that the mesh material is directly fastened to roof sheathing and/or framing to ensure the mesh remains if the vent is deformed by heat.			
Vents and mesh material are not intended to substitute for solid ignition-resistant or 1-hour rated material or assemblies. The above products are only evaluated at this time against ember intrusion.			

# Roofing, Roofing Components

Product Description	Product Name	Fire Rating	Company Name, Address, Contact
<b>Membrane Roofing*</b>			
PVC Membrane Roof	<ul style="list-style-type: none"> <li>• Duro-Last®</li> <li>• Duro-Last X™</li> <li>• Duro-Tuff®</li> <li>• Duro-Fleece®</li> <li>• Duro-Fleece Plus®</li> <li>• Duro-Last® EV and EV Fleece</li> </ul>	Class A – ASTM E108 / UL 790 <a href="#">UL TGFU.R10128</a>	Duro-Last®, a division of Holcim Solutions and Products US, LLC <a href="https://duro-last.com/">https://duro-last.com/</a> 525 W Morley Dr Saginaw, MI 48601-9485 888.380.0842
PVC Membrane Roof	GAF PVC roofing membranes (various) – installed in ASTM E 108 / UL 790 Class A assembly per UL - Overview of UL Listings for PVC Systems	<a href="#">Class A – ASTM E108 / UL 790 UL - UL TGFU.R1306 Listings for PVC Systems</a>	GAF 1 Campus Drive Parsippany, NJ 07054 877-423-7663 designservices@gaf.com www.gaf.com
PVC Membrane Roof	Elevate PVC roofing membranes (various) – installed in ASTM E 108 / UL 790 Class A assembly per <a href="#">ICC-ES ESR-4791</a>	Class A – ASTM E108 / UL 790 <a href="#">ICC-ES ESR-4791</a>	Holcim Elevate <a href="https://www.holcimelevate.com/us-en">https://www.holcimelevate.com/us-en</a> TEXAS LONESTAR REPS, LLC 650 North Sam Houston Parkway East, Houston TX 77060 (281) 888-7464 <a href="mailto:info@lsreps.com">info@lsreps.com</a>
PVC Membrane Roof	IB PVC Roof System Membranes (various) – installed in ASTM E 108 / UL 790 Class A assembly per <a href="#">UL IB TGFU.R15546</a>	Class A – ASTM E108 / UL 790 <a href="#">UL IB TGFU.R15546</a>	IB Roof Systems 506 E. Dallas Road, Suite 300 Grapevine, TX 76051 800.426.1626 <a href="https://ibroof.com/">https://ibroof.com/</a>
PVC Membrane Roof	Mule-Hide PVC roofing membranes (various) – installed in ASTM E 108 / UL 790 Class A assembly per <a href="#">UL - Overview of UL Listings for PVC Systems</a>	Class A – ASTM E108 / UL 790 <a href="#">UL - Overview of UL Listings for PVC Systems</a>	Mule-Hide Products 800.786.1492 <a href="https://www.mulehide.com/">https://www.mulehide.com/</a> Nick Doran 313-530-6247 <a href="mailto:Nick.Doran@mulehide.com">Nick.Doran@mulehide.com</a>
TPO Membrane Roof	Elevate TPO roofing membranes (various) – installed in ASTM E 108 / UL 790 Class A assembly per <a href="#">ICC-ES ESR-2831</a>	Class A – ASTM E108 / UL 790 <a href="#">ICC-ES ESR-2831</a>	Holcim Elevate <a href="https://www.holcimelevate.com/us-en">https://www.holcimelevate.com/us-en</a> TEXAS LONESTAR REPS, LLC 650 North Sam Houston Parkway East, Houston TX 77060 (281) 888-7464 <a href="mailto:info@lsreps.com">info@lsreps.com</a>

<b>Product Description</b>	<b>Product Name</b>	<b>Fire Rating</b>	<b>Company Name, Address, Contact</b>
TPO Membrane Roof	GAF TPO roofing membranes (various) – installed in ASTM E 108 / UL 790 Class A assembly per UL - Overview of UL Listings for TPO Systems	<a href="#">Class A – ASTM E108 / UL 790 UL - UL TGFU.R1306 Listings for TPO Systems</a>	GAF 1 Campus Drive Parsippany, NJ 07054 877-423-7663 designservices@gaf.com www.gaf.com
TPO Membrane Roof	Mule-Hide TPO roofing membranes (various) – installed in ASTM E 108 / UL 790 Class A assembly per <a href="#">UL - Summary of UL Listings for TPO Systems</a>	Class A – ASTM E108 / UL 790 <a href="#">UL - Summary of UL Listings for TPO Systems</a>	Mule-Hide Products 800.786.1492 <a href="https://www.mulehide.com/">https://www.mulehide.com/</a> Nick Doran 313-530-6247 <a href="mailto:Nick.Doran@mulehide.com">Nick.Doran@mulehide.com</a>
Modified Bitumen Membrane Roof	GAF Modified Bitumen roofing membranes (various) – installed in ASTM E 108 / UL 790 Class A assembly per UL - Overview of UL Listings for Modified Bitumen Systems	<a href="#">Class A – ASTM E108 / UL 790 UL - UL TGFU.R1306 Listings for Modified-Bitumen Systems</a>	GAF 1 Campus Drive Parsippany, NJ 07054 877-423-7663 designservices@gaf.com www.gaf.com
Modified Bitumen Membrane Roof	Polyglass modified bitumen roofing membranes (various) - installed in ASTM E108 / UL790 Class A assembly per <a href="#">UL Polyglass TGFU.R14571</a>	Class A – ASTM E108 / UL 790 <a href="#">UL Polyglass TGFU.R14571</a>	Polyglass USA, Inc 1111 W Newport Center Dr Deerfield Beach, FL 33442 <a href="http://www.polyglass.us">www.polyglass.us</a>
Built-up Roofing (BUR)	GAF BUR roofing membranes (various) – installed in ASTM E 108 / UL 790 Class A assembly per UL - Overview of UL Listings for BUR Systems	<a href="#">Class A – ASTM E108 / UL 790 UL - UL TGFU.R1306 Listings for BUR Systems</a>	GAF 1 Campus Drive Parsippany, NJ 07054 877-423-7663 designservices@gaf.com www.gaf.com
Liquid Applied Roofing (LAR) Membranes	GAF LAR membranes (various) – installed in ASTM E 108 / UL 790 Class A assembly per UL - Overview of UL Listings for LAR Systems	<a href="#">Class A – ASTM E108 / UL 790 UL - Overview of UL TGFU.R6935 Listings for LAR Systems</a>	GAF 1 Campus Drive Parsippany, NJ 07054 877-423-7663 designservices@gaf.com www.gaf.com

Product Description	Product Name	Fire Rating	Company Name, Address, Contact
<b>Roof Underlayment</b> <i>(not a substitute for compliant roof covering or rated assembly)</i>			
Roof & Valley Underlayment (for use with metal roof, synthetic, concrete & clay tile, or asphalt shingles)	WIP 300HT High Temperature Rubberized Asphalt Underlayment		Carlisle WIP Products 1285 Ritner Highway Carlisle, PA 17013 888.717.1440 <a href="http://www.carlislewipproducts.com">www.carlislewipproducts.com</a>
Roof Underlayment (for use with various roof coverings)	Polystick XFR – Self-Adhered Fire-Resistant High Temp Underlayment	Class A – ASTM E108 / UL 790 <a href="#">UL Polyglass TGFU.R25992</a>  <a href="#">ICC-ES ESR-2119</a>	Polyglass USA, Inc 1111 W Newport Center Dr Deerfield Beach, FL 33442 <a href="http://www.polyglass.us">www.polyglass.us</a>
Roof Underlayment (for use with Class A shingles)	Polystick P – Self-Adhered Carrierless Ice & Water High Temp Underlayment	Class A – ASTM E108 / UL 790 <a href="#">UL Polyglass TGDY.R25992</a>	Polyglass USA, Inc 1111 W Newport Center Dr Deerfield Beach, FL 33442 <a href="http://www.polyglass.us">www.polyglass.us</a>
Roof Underlayment (for use with various roof coverings)	Polyanchor XFR – Ember Resistant Fire Rated Underlayment	Class A – ASTM E108 / UL790 <a href="#">UL Polyglass TGDY.R25992</a>	Polyglass USA, Inc 1111 W Newport Center Dr Deerfield Beach, FL 33442 <a href="http://www.polyglass.us">www.polyglass.us</a>
Roof Underlayment (for use with Class A shingles)	Polyglass underlayments (various) - installed in ASTM E108 / UL790 Class A assembly per <a href="#">UL Polyglass TGDY.R25992</a>	Class A – ASTM E108 / UL 790 <a href="#">UL Polyglass TGDY.R25992</a>	Polyglass USA, Inc 1111 W Newport Center Dr Deerfield Beach, FL 33442 <a href="http://www.polyglass.us">www.polyglass.us</a>
Roof Underlayment (for use with metal roof coverings)	Polyglass underlayments (various) - installed in ASTM E108 / UL790 Class A assembly per <a href="#">UL Polyglass TGFU.R25992</a>	Class A – ASTM E108 / UL 790 <a href="#">UL Polyglass TGFU.R25992</a>	Polyglass USA, Inc 1111 W Newport Center Dr Deerfield Beach, FL 33442 <a href="http://www.polyglass.us">www.polyglass.us</a>
<b>NOTES:</b>			
*Roof membrane systems offer multiple Class A fire rated assembly options. To streamline the review process, project drawings shall clearly label all layers of the Class A roof assembly (include each layer material type, thickness, product name, etc.), identify the installation method (e.g. fully-adhered, mechanically fastened, etc), and identify which assembly in a UL TGFU document or ICC-ES report will be used. A copy of the UL TGFU or ICC-ES report should be included with the permit submittal.			
Many ASTM E 108 Class A metal roofs, asphalt composition shingles, PVC, and TPO roof coverings and assemblies are available and suited for use in the Wildland-Urban Interface.			
Refer to <a href="#">IWUIC 504.2 and 504.2.1</a> for roof covering and roof valley requirements			

# Windows, Doors, Skylights

Product Description	Product Name	Fire Rating	Company Name, Address, Contact
<p><b>Windows:</b> Many tinted Low E, insulated, tempered, or fire-rated glass windows are available and suited for use in the Wildland-Urban Interface.</p>			
<p><b>Doors:</b> Many non-combustible, fire rated, or 1 ¾" solid core doors are available and suited for use in the Wildland-Urban Interface.</p>			
<p><b>Skylights:</b> Many tinted Low E, insulated, tempered, or fire-rated glass skylights with non-combustible frames (such as metal) are available and suited for use in the Wildland-Urban Interface.</p>			
Tubular Skylight	Solatube Rooftop Fire Glazing in models: 160 DS 290 DS 300 DS 330 DS 750 DS	Multi-Pane Glass with Steel Ring	Solatube International, Inc. 2210 Oak Ridge Way Vista, CA 92081-8341 888-765-2882 <a href="https://solatube.com/">https://solatube.com/</a>
Tubular Skylight	Velux Sun Tunnel: - Flat Glass TLR Wildfire TZR/TZRL/TZRQ	Tempered Glass (TLR model) Class A – ASTM E108 (Wildfire models)	Velux America LLC 104 Ben Casey Dr. Fort Mill, SC 29708 800-888-3589 <a href="https://www.veluxusa.com/">https://www.veluxusa.com/</a>
<p><b>NOTES:</b></p>			
<p>Refer to <a href="#">IWUIC 504.8 (amended)</a> for exterior glazing requirements  Refer to <a href="#">IWUIC 504.9 (amended)</a> for exterior door requirements  Skylights must be Class A per ASTM E 108 <a href="#">IWUIC 504.2</a>, or have a non-combustible frame (i.e. metal) with approved glazing per <a href="#">IWUIC 504.8 (amended)</a></p>			

## Artificial Turf, Generator Spark Arresters, Misc.

Product Description	Product Name	Fire Rating	Company Name, Address, Contact
Artificial Grass Turf	SYNRye Premium 200, Pet Premium, Pet Platinum, Play Premium, Roofdeck Platinum, Roofdeck Premium, SYNAugustine 347, SYNAugustine 547, SYNAugustine X47, SYNfescue 343, SYNTipede 243, SYNTipede 343, SYNTipede X43, Precision Putt	Class A – ASTM E108	SYNLawn 10101 FM1102 Ste B New Braunfels, TX 78130 Phone: (210) 465-1699 <a href="https://www.synlawnaustin.com/">https://www.synlawnaustin.com/</a>
Artificial Grass Turf	XGrass Titan	Class A – ASTM E108 (Tested as Controlled Products PL959 MT807)	The Recreational Group <a href="https://www.recreationalgroup.com/">https://www.recreationalgroup.com/</a> 205 Boring Drive Dalton, GA 30721 1.877.881.8477 Scott Dickerson <a href="mailto:Scott.dickerson@recreationalgroup.com">Scott.dickerson@recreationalgroup.com</a>
<b>ARTIFICIAL TURF NOTES:</b>			
Artificial turf located on a building (such as a roof, balcony, patio, deck) or within 10' of a structure, shall be Class A per ASTM E108 per <a href="#">IWUIC 504.2</a> or Class A per ASTM E84 <a href="#">IWUIC 504.7 (amended)</a> .			
<b>Generator Spark Arresters</b>			
Spark Arresters for Generators	<a href="#">See US Forest Service Spark Arrester Guide 2021</a>	Accepted alternative to 30' separation required by <a href="#">IWUIC A104.5</a>	Various